




VPC-H 250

**Form, fill and seal packaging machines –
high performance, latest technology, convincing in price**

- The specialist for confectionary packaging
- For all heat sealable wrapping materials
- Continuous and intermittent motion
- For a bag width of 50 mm to 250 mm
- For pillow, gusseted or chain bags



Filling volume
up to 4000 cm³

Always perfectly packed **WOLF**

VPC-H 250

The VPC-H 250 is the newest model of WolfVerpackungsmaschinen GmbH, consequently developed for the packaging of confectionery. With its low product drop height, the VPC-H allows speeds of up to 200 bags/min.



Cost effectiveness and functional efficiency, gentle product handling

Servo driven moving and conveying functions. Accuracy and reliability, from the wrapping material infeed to bag shaping and seam sealing up to the filling, also for delicate products. The dosing process starts immediately after the bottom sealing via synchronized dosing units, such as cup feeders or weighers.

- Low product drop
- High speed
- Small footprint
- Latest technology
- Continuous or intermittent mode upon customer's choice
- Nearly wear- and maintenance-free operation
- Quick and easy size change
- Compact, operator-friendly design

- Programmable control
- Colour touch screen
- Electronic control for bag length
- Photoeye control for accurate eyemark reading of printed films
- Servo driven cross sealing station
- Servo driven film draw-down belts
- Adjustable sealing time
- Adjustable stroke of cross sealing jaws (depending on bag size)
- Motor for film tracking adjustment
- Longitudinal jaws mechanically driven
- Unilaterally suspended pneumatical film tensioning shaft
- Operator-friendly safety doors with locking magnets

Short product drop height for higher speeds.

Safe operation, efficient resetting

The hardware and the software of the VPC are all over user-friendly. Up to 100 production programmes can be stored in the memory for the programmable control. All needed production parameters can be set via a colour touch screen. The logic control prevents out of range entries. All adjustments and settings can be made quickly and comfortably on the front side of the machine.



VPC-H 250
with electric control cabinet, accessible through a sliding mechanism



Customer-specific options

- Automatic film tracking
- Stainless steel design
- Modem for data transmission
- Video communication system
- Duplex execution

The compact design fulfills highest hygiene requirements.

Future-compliant conception with long life expectancy

Wolf form, fill and seal packaging machines offer a high investment security, based on clear principles:

- Observance of strict quality standards for material and processing
- Minimization of the number of technical components due to a modular machine structure
- Innovative design and up-to-date technology, which enables easy retrofitting
- Qualified maintenance, fast service

The result: more efficiency on a narrow space and higher availability for a long life cycle.


High quality additional and peripheral equipment

Dosers, weighers, automatic film splicers, infeed and inserting modules as well as rotary tables complete our programme of vertical, horizontal and top closing packaging machines. For more efficiency all along the line.

Leader in technology.
With the experience
of more than 2000
applications worldwide.

VPC-H 250

Technical Data Overview



VPC-H 250

Machine height	1560 mm
Machine width	900 mm
Machine depth	2620 mm
Bag width	50 – 250 mm
Bag length	40 – 350 mm
Filling volume	4000 cm ³
Film reel diameter	600 mm
Performance*	200 bags/min
Air requirements**	80 l/min at 6 bar
Energy requirement	5.5 kW
Mains connection	400 V, 3 Ph., N, 50/60 Hz
Type of protection	IP 54
Weight	1050 kg
Colour	RAL 9007

* depending on product and wrapping material

** depending on performance

Subject to technical modifications

From engineering to operation, from the silo to the palletizer – we offer intelligent and complete solutions for efficient packaging lines from one source.

Wolf Verpackungsmaschinen GmbH

Bettenhäuser Str. 3 · 35423 Lich-Birklar · Germany

Phone +49 6404 9182-0 · Fax +49 6404 9182-83

www.wolf-pack.de · contact@wolf-pack.de

Always perfectly packed **WOLF**